Journal of Applied Microbiology

Edited by
D.E.S. Stewart-Tull, I. M. Feavers and G. R. Gibson

Volume 87, 1999

Copyright © 1999 by The Society for Applied Microbiology

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the Society

ISSN 1364-5072

Published by
Blackwell Science Ltd
OXFORD LONDON EDINBURGH BOSTON
MELBOURNE BERLIN VIENNA

Printed in Great Britain

Contents

Volume 87, Number 1, July 1999

1 Yeast cell mortality related to a high-pressure shift: occurrence of cell membrane permeabilization *J.M. Perrier-Cornet, M. Hayert & P. Gervais*

8 Formaldehyde kills spores of *Bacillus subtilis* by DNA damage and small, acid-soluble spore proteins of the α/ß-type protect spores against this DNA damage *C.A. Loshon, P.C. Genest, B. Setlow & P. Setlow*

15 A numerical taxonomic study of the *Pseudomonas* flora isolated from poultry meat *I. Arnaut-Rollier, L. Vauterin, P. De Vos, D.L. Massart, L.A. Devriese, L. De Zutter & J. Van Hoof*

29 Characterization of *Candida krusei* strains from spontaneously fermented maize dough by profiles of assimilation, chromosome profile, polymerase chain reaction and restriction endonuclease analysis *A.E. Hayford & M. Jakobsen*

41 Effectiveness of cleaning techniques used in the food industry in terms of the removal of bacterial biofilms *H. Gibson, J.H. Taylor, K.E. Hall & J.T. Holah*

49 A fast method for monitoring the colonization rate of lactobacilli in a meat model system *A. Veyrat, M.C. Miralles & G. Perez-Martinez*

62 Effect of u.v. light irradiation, starvation and heat on *Escherichia coli* ß-D-galactosidase activity and other potential viability parameters *L. Fiksdal & I. Tryland*

72 Effect of a mixed culture on co-oxidation during the degradation of saturated hydrocarbon mixture *S.H. Ko & J.M. Lebeault*

80 Viscosinamide, a new cyclic depsipeptide with surfactant and antifungal properties produced by *Pseudomonas fluorescens* DR54 *T.H. Nielsen, C. Christophersen, U. Anthoni & J. Sorensen*

91 Rapid evaluation of biocidal activity using a transposon-encoded catechol 2,3-dioxygenase from *Pseudomonas putida* *L.A. Edghill, A.D. Russell, M.J. Day & J.R. Furr*

99 Electrotransformation of *Lactobacillus manihotivorans* LMG 18010^T and LMG 18011 *R. Rodriguez Sanoja, J. Morlon-Guyot & J.P. Guyot*

108 Immobilization of *Aspergillus oryzae* tannase and properties of the immobilized enzyme *M.A. Abdel-Naby, A.A. Sherif, A.B. El-Tanash & A.T. Mankarios*

115 Seasonal variation of *Campylobacter* types from human cases, veterinary cases, raw chicken, milk and water *J.A. Hudson, C. Nicol, J. Wright, R. Whyte & S.K. Hasell*

125 Antibiotic amendment for suppression of indigenous microflora in feed sources for an *Escherichia coli* auxotroph lysine assay *A.M. Erickson, I.B. Zabala-Diaz & S.C. Ricke*

131 Culture-independent quantification of physiologically-active microbial groups in fermented foods using rRNA-targeted oligonucleotide probes: application to pozol, a Mexican lactic acid fermented maize dough *F. Ampe, N. ben Omar & J.-P. Guyot*

141 Extracellular inulinases from *Penicillium janczewskii*, a fungus isolated from the rhizosphere of *Vernonia herbacea* (Asteraceae) *R.A.B. Pessoni, R.C.L. Figueiredo-Ribeiro & M.R. Braga*

148 Laboratory-scale inactivation of African swine fever virus and swine vesicular disease virus in pig slurry *C. Turner & S.M. Williams*

158 A one step PCR-based method for the detection of economically important soft rot *Erwinia* species on micropropagated potato plants *I.K. Toth, L.J. Hyman & J.R. Wood*

167 Isolation and characterisation of two genetically distant groups of *Acetobacter diazotrophicus* from a new host plant *Elusine coracana* L. *P. Loganathan, R. Sunita, A.K. Parida & S. Nair*

173 Carbon fractions in the rhizosphere of pea inoculated with 2,4 diacetylphloroglucinol producing and non-producing *Pseudomonas fluorescens* F113 *D.C. Naseby, J.A. Pascual & J.M. Lynch*

182 The use of enterocin CCM 4231 in soy milk to control the growth of *Listeria monocytogenes* and *Staphylococcus aureus* *A. Lauková & S. Czikková*

Volume 87, Number 2, August 1999

187 3rd International Conference on Anthrax, University of Plymouth, 7–10 September 1998: preface *L. Baillie*

189 1996-97 global anthrax report *M. Hugh-Jones*

192 A national register of historic and comtemporary anthrax foci *B.L. Cherkasskiy*

196 Anthrax explodes in an Australian summer *A.J. Turner, J.W. Galvin, R.J. Rubira & G.T. Miller*

200 Identification of *Bacillus anthracis* strains in China *X. Liang & D. Yu*

204 Meso-scale ecology of anthrax in southern Africa: a pilot study of diversity and clustering *K.L. Smith, V. De Vos, H.B. Bryden, M.E. Hugh-Jones, A. Klevytska, L.B. Price, P. Keim & D.T. Scholl*

208 A review of anthrax in Canada and implications for research on the disease in northern bison *D.C. Dragon, B.T. Elkin, J.S. Nishi & T.R. Ellsworth*

214 Antibody-based systems for the detection of *Bacillus anthracis* in environmental samples *G.W. Long & T. O'Brien*

215 Molecular diversity in *Bacillus anthracis* *P. Keim, A.M. Klevytska, L.B. Price, J.M. Schupp, G. Zinser, K.L. Smith, M.E. Hugh-Jones, R. Okinaka, K.K. Hill & P.J. Jackson*

218 Fluorescent detection techniques for real-time multiplex strand specific detection of *Bacillus anthracis* using rapid PCR *M.A. Lee, G. Brightwell, D. Leslie, H. Bird & A. Hamilton*

224 The Ba813 chromosomal DNA sequence effectively traces the whole *Bacillus anthracis* community *V. Ramisse, G. Patra, J. Vaissaire & M. Mock*

229 PCR-ELISA to detect *Bacillus anthracis* from soil samples–limitations of present published primers *W. Beyer, S. Pocivalsek & R. Böhm*

237 Definitive identification of *Bacillus anthracis*—a review *P.C.B. Turnbull*

241 Characterization of the exosporium of *Bacillus cereus* *S. Charlton, A.J.G. Moir, L. Baillie & A. Moir*

246 Molecular recognition specificity of *Bacillus anthracis* spore antibodies *P. Longchamp & T. Leighton*

250 The capsule of *Bacillus anthracis*, a review *J.W. Ezzell Jr. & S.L. Welkos*

251 *Bacillus anthracis* surface: capsule and S-layer *A. Fouet, S. Mesnage, E. Tosi-Couture, P. Gounon & M. Mock*

256 The SLH domain as a means for anchoring heterologous proteins on the cell surface of *Bacillus anthracis* *S. Mesnage, E. Tosi-Couture, M. Mock & A. Fouet*

261 Sequence, assembly and analysis of pX01 and pX02 *R. Okinaka, K. Cloud, O. Hampton, A. Hoffmaster, K. Hill, P. Keim, T. Koehler, G. Lamke, S. Kumano, D. Manter, Y. Martinez, D. Ricke, R. Svensson & P. Jackson*

263 Genetic comparison of *Bacillus anthracis* and its close relatives using amplified fragment length polymorphism and polymerase chain reaction analysis *P.J. Jackson, K.K. Hill, M.T. Laker, L.O. Ticknor & P. Keim*

270 The native virulence plasmid combination affects the segregational stability of a theta-replicating shuttle vector in *Bacillus anthracis* var. *New Hampshire* *J.E. Bowen & C.P. Quinn*

279 Control of virulence gene expression in *Bacillus anthracis* *A.R. Hoffmaster & T.M. Koehler*

282 Crystallographic studies of the anthrax lethal toxin *R. Liddington, A. Pannifer, P. Hanna, S. Leppla & R.J. Collier*

283 Mechanism of membrane translocation by anthrax toxin: insertion and pore formation by protective antigen *R.J. Collier*

284 Anthrax toxin fusion proteins for intracellular delivery of macromolecules *S.H. Leppla, N, Arora & M. Varughese*

285 Lethal toxin actions and their consequences *P. Hanna*

288 Anthrax lethal factor cleaves the N-terminus of MAPKKS and induces tyrosine/threonine phosphorylation of MAPKS in cultured macrophages *G. Vitale, R. Pellizzari, C. Recchi, G. Napolitani, M. Mock & C. Montecucco*

289 Anthrax lethal factor causes proteolytic inactivation of mitogen-activated protein kinase kinase *N.S. Duesbery & G.F. Vande Woude*

294 Experiences with vaccination and epidemiological investigations on an anthrax outbreak in Australia in 1997 *A.J. Turner, J.W. Galvin, R.J. Rubira, R.J. Condron & T. Bradley*

298 Antigen delivery by attenuated *Bacillus anthracis*: new prospects in veterinary vaccines *F. Brossier, M. Mock & J.-C. Sirard*

303 Clinical aspects, diagnosis, and treatment of anthrax *A.M. Friedlander*

304 *In vitro* correlate of immunity in an animal model of inhalational anthrax *M.L.M. Pitt, S. Little, B.E. Ivins, P. Fellows, J. Boles, J. Barth, J. Hewetson & A.M. Friedlander*

305 Immune correlates of protection against anthrax *K. Fowler, B.W. McBride, P.C.B. Turnbull & L.W.J. Baillie*

306 Human immune responses to the UK human anthrax vaccine *L.W.J. Baillie, K. Fowler & P.C.B. Turnbull*

309 Expression of the protective antigen of *Bacillus anthracis* by *Lactobacillus casei*: towards the development of an oral vaccine against anthrax *N.D. Zegers, E. Kluter, H. van der Stap, E. van Dura, P. van Dalen, M. Shaw & L. Baillie*

315 Presentation of protective antigen to the mouse immune system: immune sequelae *E.D. Williamson, R.J. Beedham, A.M. Bennett, J. Miller & L.W.J. Baillie*

318 WHO activities on anthrax surveillance and control *P.C.B. Turnbull, M.E. Hugh-Jones & O. Cosivi*

321 3rd International Conference on Anthrax, University of Plymouth, 7–10 September 1998: closing remarks *H. Smith*

Volume 87, Number 3, September 1999

323 *Comparative responses of Pseudomonas stutzeri* and *Pseudomonas aeruginosa* to antibacterial agents *U. Tattawasart, J.-Y. Maillard, J.R. Furr & A.D. Russell*

332 Phospholipid molecular species distribution of some medically important *Candida* species analysed by fast atom bombardment mass spectroscopy *M. Abdi, D.B. Drucker, V. Boote, M. Korachi & E.D. Theaker*

339 Combined use of acetic acid treatment and modified atmosphere packaging for extending the shelf-life of chilled chicken breast portions *S.M. Jiménez, M.S. Salsi, M.C. Tiburzi, R.C. Rafaghelli & M.E. Pirovani*

345 Bile salt deconjugation by *Lactobacillus plantarum* 80 and its implication for bacterial toxicity *P. De Boever & W. Verstraete*

353 Effects of cultural conditions on denitrification by *Pseudomonas stutzeri* measured by Membrane Inlet Mass Spectrometry *J.R. Firth & C. Edwards*

359 The influence of hay-packing techniques on the presence of *Saccharopolyspora rectivirgula* *G. Ranalli, L. Grazia & A. Roggeri*

366 Hemicellulase activity of antarctic microfungi *J.R. Bradner, R.K. Sidhu, M. Gillings & K.M.H. Nevalainen*

371 Water activity and temperature effects on germination and growth of *Eurotium amstelodami*, *E. chevalieri* and *E. herbariorum* isolates from bakery products *M. Abellana, J. Benedi, V. Sanchis & A.J. Ramos*

381 Characterization of chlorobenzoate degraders isolated from PCB contaminated soil and sediment in the Czech Republic *L. Pavlů, J. Vosáhlová, H. Klierová, M. Prouza, K. Demnerová & V. Brenner*

387 Effect of process temperature, pH and suspended solids content upon pasteurisation of a model agricultural waste during thermophilic aerobic digestion *J.O. Ugwuanyi, L.M. Harvey & B. McNeil*

396 Heat transfer analysis of *Staphylococcus aureus* on stainless steel with microwave radiation *C.B.A. Yeo, I.A. Watson, D.E.S. Stewart-Tull & V.H.H. Koh*

402 Study of the potential relationship between the morphology of infectious somatic coliphages and their persistence in the environment *M. Muniesa, F. Lucena & J. Jofre*

410 Reduced toxicity of expression, in *Escherichia coli*, of anti-pollutant antibody fragments and their use as sensitive diagnostic molecules *G. Strachan, S. Williams, S.P. Moyle, W.J. Harris & A.J.R. Porter*

418 Detection of low numbers of *Salmonella* in environment water, sewage and food samples by a nested PCR assay *A.S. Waage, T. Vardund, V. Lund & G. Kapperud*

429 Effect of protective solutes on leakage from and survival of immobilized *Lactobacillus* subject to drying, storage and rehydration *E. Selmer-Olsen, S.E. Birkeland & T. Sørhaug*

438 Nisin, temperature and pH effects on growth and viability of *Pectinatus frisingensis*, a Gram-negative, strictly anaerobic beer-spoilage bacterium *N.-E. Chihib, L. Monnerat, J.M. Membré & J.-L. Tholozan*

447 Recovery and assay of African swine fever and swine vesicular disease viruses from pig slurry *C. Turner, S.M. Williams & P.J. Wilkinson*

454 Ecological basis for biocontrol of damping-off disease by *Pseudomonas fluorescens* 54/96 *R.J. Ellis, T.M. Timms-Wilson, J.E. Beringer, D. Rhodes, A. Renwick, L. Stevenson & M.J. Bailey*

Volume 87, Number 4, October 1999

465 Comparison of different methods for diagnosis of bovine tuberculosis from tuberculin- or interferon-γ-reacting cattle in Spain *O.R. González Llamazares, C.B. Gutiérrez Martin, A. Aranaz Martin, E. Liébana Criado, L. Dominguez Rodriguez & E.F. Rodriguez Ferri*

472 Identification and environmental detection of *Rhodococcus* species by 16S rDNA-targeted PCR *K.S. Bell, M.S. Kuyukina, S. Heidbrink, J.C. Philp, D.W.J. Aw, I.B. Ivshina & N. Christofi*

481 Enterotoxigenic profiles and PCR detection of *Bacillus cereus* group cells and *B. cereus* strains from foods and food-borne outbreaks *Y.M. Hsieh, S.J. Sheu, Y.L. Chen & H.Y. Tsen*

491 Validating predictive models of food spoilage organisms *C. Pin, J.P. Sutherland & J. Baranyi*

500 Production and utilization of polyclonal antibodies against nisin in an ELISA and for immuno-location of nisin in producing and sensitive bacterial strains *M. Bouksaim, C. Lacroix, R. Bazin & R.E. Simard*

511 Production of *Aspergillus* xylanases by lignocellulosic waste fermentation and its application *P.V. Gawande & M.Y. Kamat*

520 *Zygosaccharomyces lentus*: a significant new osmophilic, preservative-resistant spoilage yeast, capable of growth at low temperature *H. Steels, S.A. James, I.N. Roberts & M. Stratford*

528 Sorbitol-fermenting bifidobacteria as indicators of diffuse human faecal pollution in estuarine watersheds *M.W. Rhodes & H. Kator*

536 *Salmonella* infection in children from the wastewater-spreading zone of Marrakesh city (Morocco) *A. Ait Melloul & L. Hassani*

540 The effect of α-lactalbumin and β-lactoglobulin hydrolysates on the metabolic activity of *Escherichia coli* JM103 *A. Pihlanto-Leppälä, P. Marnila, L. Hubert, T. Rokka, H.J.T. Korhonen & M. Karp*

546 A study of dextran production from maltodextrin by cell suspensions of *Gluconobacter oxydans* NCIB 4943 *K.C. Mountzouris, S.G. Gilmour, A.J. Jay & R.A. Rastall*

557 Purification and partial characterization of an extracellular serine-proteinase of *Streptomyces cyaneus*, isolated from Brazilian cerrado soil *S.D.G. Petinate, M.H. Branquinha, R.R.R. Coelho, A.B. Vermelho & S. Giovanni-De-Simone*

564 The effect of zinc oxide supplementation on the stability of the intestinal flora with special reference to composition of coliforms in weaned pigs *M. Katouli, L. Melin, M. Jensen-Waern, P. Wallgren & R. Möllby*

574 Molecular and physiological characterization of dominant bacterial populations in traditional Mozzarella cheese processing *M. Morea, F. Baruzzi & P.S. Cocconcelli*

583 Anaerobic lactic acid degradation during ensilage of whole crop maize inoculated with *Lactobacillus buchneri* inhibits yeast growth and improves aerobic stability *F. Driehuis, S.J.W.H. Oude Elferink & S.F. Spoelstra*

595 Microbiological characteristics of Anevato: a traditional Greek cheese *M. Hatzikamari, E. Litopoulou-Tzanetaki & N. Tzanetakis*

602 Genetic diversity in *Helicobacter pullorum* from human and poultry sources identified by an amplified fragment length polymorphism technique and pulsed-field gel electrophoresis *J.R. Gibson, M.A. Ferrus, D. Woodward, J. Xerry & R.J. Owen*

611 Influence of growth phases and desiccation on the degrees of unsaturation of fatty acids and the survival rates of rhizobia *M. Boumahdi, P. Mary & J.-P. Hornez*

620 Monoclonal antibodies against AsaP1, a major exotoxin of the fish pathogen *Aeromonas salmonicida* subsp. *achromogenes*, and their application in ELISA *U. Wagner, B.K. Gudmundsdóttir & K. Drössler*

Volume 87, Number 5, November 1999

631 The protective effects of high amylose maize (amylomaize) starch granules on the survival of *Bifidobacterium* spp. in the mouse intestinal tract *X. Wang, I.L. Brown, A.J. Evans & P.L. Conway*

640 Identification and characterization of the new *Bacillus thuringiensis* serovars pirenaica (serotype H57) and iberica (serotype H59) *M. Porcar, J. Iriarte, V. Cosmao Dumanoir, M.D. Ferrandis, M.-M. Lecadet, J. Ferré & P. Caballero*

649 A gene involved in quinate metabolism is specific to one DNA homology group of *Xanthomonas campestris* *Y.-A. Lee, Y.-C. Lo & P.-P. Yu*

659 Phenotypic characterization and antibiotic resistance of *Acinetobacter* spp. isolated from aquatic sources *L. Guardabassi, A. Dalsgaard & J.E. Olsen*

668 Amine borate catabolism by bacteria isolated from contaminated metal-working fluids *R.E. Sherburn & P.J. Large*

676 Water quality and public health in northern Sudan: a study of rural and peri-urban communities *H.A. Musa, P. Shears, S. Kafi & S.K. Elsabag*

683 Prevalence of mycobacteria in a swimming pool environment *E. Leoni, P. Legnani, M.T. Mucci & R. Pirani*

689 Complement-mediated bactericidal activity of human milk to a serum-susceptible strain of *E. Coli* 0111 *M.O. Ogundele*

697 Occurence of *Helicobacter pylori* in surface water in the United States *J.P. Hegarty, M.T. Dowd & K.H. Baker*

702 Studies on the mechanisms of the antibacterial action of *ortho*-phthalaldehyde *S.E. Walsh, J.-Y. Maillard, C. Simons & A.D. Russell*

711 An approach to obtain specific polyclonal antisera to *Xanthomonas campestris* pv. cyamopsidis and its potential application in indexing of infected seeds of guar *G.K. Vijayanand, M.D. Shylaja, M. Krishnappa & H.S. Shetty*

718 A comparison of the bactericidal efficacy of 18 disinfectants used in the food industry against *Escherichia coli* O157:H7 and *Pseudomonas aeruginosa* at 10 and 20°C *J.H. Taylor, S.J. Rogers & J.T. Holah*

726 Characterization of pentocin TV35b, a bacteriocin-like peptide isolated from *Lactobacillus pentosus* with a fungistatic effect on *Candida albicans D.J. Okkers, L.M.T. Dicks, M. Silvester, J.J. Joubert & H.J. Odendaal*

735 Specific variations of fatty acid composition of *Pseudomonas aeruginosa* ATCC 15442 induced by Quaternary Ammonium Compounds and relation with resistance to bactericidal activity *L. Guérin-Méchin, F. Dubois-Brissonnet, B. Heyd & J.Y. Leveau*

743 Differentiation of *Lactobacillus* isolates from infant faeces by SDS-PAGE and rRNA-targeted oligonucleotide probes *V. Xanthopoulos, I. Ztaliou, W. Gaier, N. Tzanetakis & E. Litopoulou-Tzanetaki*

750 Antimicrobial activity of a 14 residue peptide against *Escherichia coli* O157:H7 *P. Appendini & J.H. Hotchkiss*

757 Pathogenicity of *Vibrio splendidus* strains associated with turbot larvae, *Scophthalmus maximus F.J. Gatesoupe, C. Lambert & J.L. Nicolas*

764 The survival and growth of an environmental *Klebsiella* isolate in detergent solutions *I.R. Beadle & J. Verran*

770 Evaluation of phenotypic and molecular typing techniques for determining diversity in *Erwinia carotovora* subspp. *atroseptica I.K. Toth, Y. Bertheau, L.J. Hyman, L. Laplaze, M.M. López, J. McNicol, F. Niepold, P. Persson, G.P.C. Salmond, A. Sletten, J.M. van der Wolf & M.C.M. Pérombelon*

782 A kinetic study of the effect of hydrogen peroxide and peracetic acid against *Staphylococcus aureus* and *Pseudomonas aeruginosa* using the Bioscreen disinfection method *R.J.W. Lambert, M.D. Johnston & E.-A. Simons*

787 Erratum

Volume 87, Number 6, December 1999

789 A REVIEW: Taking the sterile out of sterility *D.G. Allison*

794 Effects of environmental conditions on microbial proteolysis in a pork myofibril model system *P.M. Kenneally, N.G. Fransen, H. Grau, E.E. O'Neill & E.K. Arendt*

804 Detection of *Cryptosporidium* oocysts in water: techniques for generating precise recovery data *D.T. Reynolds, R.B. Slade, N.J. Sykes, A. Jonas & C.R. Fricker*

814 Detection of low numbers of pathogenic *Yersinia enterocolitica* in environmental water and sewage samples by nested polymerase chain reaction *A.S. Waage, T. Vardund, V. Lund & G. Kapperud*

822 Distribution and seasonality of microbial indicators and thermophilic campylobacters in two freshwater bathing sites on the River Lune in northwest England *K. Obiri-Danso & K. Jones*

833 Survival of *Escherichia coli* O157:H7 in bottled natural mineral water *M. Kerr, M. Fitzgerald, J.J. Sheridan, D.A. McDowell & I.S. Blair*

842 Influence of water activity and nutrients on growth and production of squalestatin S1 by a *Phoma* sp. *D. Aldred, N. Magan & B.S. Lane*

849 Diversity among lactococci isolated from ewes' raw milk and cheese *P. Gaya, M. Babín, M. Medina & M. Nuñez*

856 Identification, characterization and purification of the lantibiotic staphylococcin T, a natural gallidermin variant *B. Furmanek, T. Kaczorowski, R. Bugalski, K. Bielawski, J. Bogdanowicz & A.J. Podhajska*

867 Rapid and sensitive detection of *Escherichia coli* O157:H7 in bovine faeces by a multiplex PCR *Y. Hu, Q. Zhang & J.C. Meitzler*

877 Response to NaCl of nitrate assimilation and nitrogenase activity of the cyanobacterium *Anabaena* sp. PCC 7120 and its mutants *A.K. Rai & S.P. Tiwari*

884 Inactivation of Hepatitis A virus in heat-treated mussels *L. Croci, M. Ciccozzi, D. De Medici, S. Di Pasquale, A. Fiore, A. Mele & L. Toti*

889 Sensitivity of *Candida albicans* to negative air ion streams *J.M. Shargawi, E.D. Theaker, D.B. Drucker, T. MacFarlane & A.J. Duxbury*

898 Evaluation of different PCR-based DNA fingerprinting techniques for assessing the genetic variability of isolates of the fungus *Epicoccum nigrum F. Arenal, G. Platas, J. Martín, O. Salazar & F. Peláez*

907 A method for bacteriocin quantification *M.L. Cabo, M.A. Murado, M.P. González & L. Pastoriza*

915 Physical and metabolic causes of sub-lethal damage in *Listeria monocytogenes* after long-term chilled storage at 4°C *G.A. Dykes*

923 Purification and characterization of a bacteriocin produced by *Lactobacillus acidophilus* IBB 801 *M. Zamfir, R. Callewaert, P.C. Cornea, L. Savu, I. Vatafu & L. De Vuyst*

932 Studies on strong and weak killer phenotypes of wine yeasts: production, activity of toxin in must, and its effect in mixed culture fermentation *R.A. Musmanno, T. Di Maggio & G. Coratza*

939 Cluster organization of the genes of *Streptomyces pristinaespiralis* involved in pristinamycin biosynthesis and resistance elucidated by pulsed-field gel electrophoresis *N. Bamas-Jacques, S. Lorenzon, P. Lacroix, C. de Swetschin & J. Crouzet*

949 Rapid detection and quantification of yeast species during spontaneous wine fermentation by PCR-RFLP analysis of the rDNA ITS region *L. Granchi, M. Bosco, A. Messini & M. Vincenzini*

957 Index